

# City of El Paso - City Plan Commission Staff Report

Case No: SURW13-00015 Midway Drive Vacation

**Application Type:** Street ROW Vacation **CPC Hearing Date:** January 30, 2014

Staff Planner: Alejandro Palma, (915) 541-4482, palmaaj@elpasotexas.gov

**Location:** West of Alameda at Midway

Acreage: 0.3833 acres

**Rep District:** 3

Existing Use: Street right-of-way
Existing Zoning: R-F (Ranch-Farm)
Proposed Zoning: R-F (Ranch-Farm)

**Property Owner:** City of El Paso

**Applicant:** Ysleta Independent School District

**Representative:** Sitework Engineering

#### SURROUNDING ZONING AND LAND USE

North: R-F / YISD Riverside High School South: R-5 / Residential Development East: R-F/ C-4 / YISD Ysleta Head Start West: R-F / YISD Riverside Middle School

PLAN EL PASO DESIGNATION: G3, Post-War

## **APPLICATION DESCRIPTION**

The applicant is proposing to vacate an 8' wide strip of Midway Drive adjacent to Riverside High School to correct an existing encroachment.

#### DEVELOPMENT COORDINATING COMMITTEE

The Development Coordinating Committee recommends **approval** of Midway Drive Vacation subject to the following comments and conditions:

## **Planning Division Recommendation:**

Staff recommends approval.

## **City Development Department - Land Development**

We have reviewed subject plans and recommend **Approval**.

The Developer/Engineer need to address the following comments:

SURW13-00015 1 January 30, 2014

1. No objections.

## **Parks and Recreation Department**

We have reviewed <u>Midway Drive</u>, a street right-of-way vacation survey map and offer "No" objections to this proposed street right-of-way vacation request.

## El Paso Water Utilities

We have reviewed the above referenced subdivision and provide the following comments:

EPWU does not object to this request.

#### **EPWU-PSB Comments**

#### Water:

Along Midway Drive between Mimosa Drive and Student Place there is an existing eight (8) inch diameter water main located at approximately 25 feet south of the northernmost right-of-way line of Midway Drive. The existing water main will be located at approximately 17 feet south of the new northern right-of-way line of Midway Drive. The water services are located south of the existing rock wall and the iron fence (Riverside High School property) within the sidewalk area inside Midway Drive public right-of-way.

Previous water pressure readings from fire hydrant number 2899 located along Midway Drive at approximately 650 feet west of Knights Drive have yielded a static pressure of 94 pounds per square inch, a residual pressure of 86 pounds per square inch and a discharge of 1,424 gallons per minute. The owner should, for his own protection and at his own expense, install at the discharge side of each water meter a pressure regulator, strainer and relief valve, to be set for pressure as desired by the customer. The Owner shall be responsible for the operation and maintenance of the above-described water pressure regulating device.

## **Sanitary Sewer:**

Along Midway Drive between Mimosa Drive and Student Place there is an existing eight (8) inch diameter sanitary sewer main. From Mimosa Drive to approximately 345 feet east of Knights Drive, the sanitary sewer main is located at approximately forty (40) feet south of the northernmost right-of-way line of Midway Drive. The existing sanitary sewer main will be located at approximately 32 feet south of the new northern right-of-way line of Midway Drive. At the point located 345 feet east of Knights Drive the alignment of the sanitary sewer main continues towards the east, and it is located at approximately 10 feet north of the southernmost right-of-way line of Midway Drive.

#### **General:**

Application for water and sanitary sewer services should be made 6 to 8 weeks prior to construction to ensure water for construction work. New service applications are available at 1154 Hawkins, 3<sup>rd</sup> Floor. A site plan, utility plan, grading and drainage plans, landscaping plan, the legal description of the property and a certificate-of-compliance are required at the time of application. Service will be provided in accordance with the current EPWU – PSB Rules and

Regulations. The applicant is responsible for the costs of any necessary on-site and off-site extensions, relocations or adjustments of water and sanitary sewer lines and appurtenances.

## **El Paso Fire Department:**

No comments received.

## **El Paso Electric Company:**

No comments received.

## **Sun Metro:**

Sun Metro does not oppose to this ROW vacation request.

#### 911:

No comments received.

## **Texas Gas Company:**

No comments received.

## EP DOT

No comment received.


#### **Attachments**


- 1. Location map
- 2. Aerial map
- 3. Survey
- 4. Application



# Midway Drive Vacation







UNTIL THE PLANNING DEPARTMENT REVIEWS THE APPLICATION FOR ACCURACY AND COMPLETENESS.

City Development Department 811 Texas | P.O. Box 1890 | El Paso, Texas 79950-1890| (915) 541-4024